Government of Saskatchewan

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 9, July 4, 2013

For the Period June 25 to July 1, 2013

Saskatchewan livestock producers have six per cent of the 2013 hay crop cut and less than one per cent baled or put into silage, according to Saskatchewan Agriculture's weekly Crop Report. Ninety-one per cent is rated as good to excellent in quality.

Sixty-three per cent of winter cereals, 61 per cent of spring cereals, 60 per cent of oilseeds and 68 per cent of pulse crops are at their normal developmental stages for this time of year. The majority of crops are rated as fair to excellent in quality.

One year ago

Twelve per cent of the 2012 provincial hay crop was cut and three per cent was baled or put into silage. Eighty-nine per cent was rated as good to excellent in quality.

Follow the 2013 Crop Report on Twitter @SKGovAg

SK Crop Development - July 1, 2013			
	% Ahead	% Normal	% Behind
Fall Cereals	2	63	35
Spring Cereals	1	61	38
Oilseeds	1	60	39
Pulse Crops	1	68	31

Rain showers brought various amounts of moisture to the province last week. Some crop and hay damage occurred due to flooding, disease, hail and insects such as alfalfa weevil and cabbage seedpod weevil.

Across the province, topsoil moisture on crop land is rated as 13 per cent surplus, 81 per cent adequate and six per cent short. Hay land and pasture topsoil moisture is rated as six per cent surplus, 87 per cent adequate and seven per cent short.

Farmers are busy haying and controlling pests.

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

SE SK Crop Development - July 1, 2013			
	% Ahead	% Normal	% Behind
Fall Cereals	0	61	39
Spring Cereals	1	53	46
Oilseeds	1	52	47
Pulse Crops	0	62	38

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Livestock producers have seven per cent of the hay crop cut and less than one per cent baled or put into silage. Hay quality at this time is rated as 29 per cent excellent, 59 per cent good and 12 per cent fair. Alfalfa weevil has damaged some alfalfa stands in the area and some producers are spraying insecticides.

Heavy rainfall and hail in some areas has damaged crops but for the most part damage has been minimal. Some crops are yellowing due to excess moisture and localized flooding in the region. However, topsoil moisture conditions have improved for most areas. Topsoil moisture conditions on cropland are rated as 22 per cent surplus and 78 per cent adequate. Hay land and pasture topsoil moisture is rated as 12 per cent surplus, 86 per cent adequate and two per cent short. CD 2B is reporting that 41 per cent of the cropland and 37 per cent of the hay and pasture land have surplus topsoil moisture at this time.

The Frobisher area received 20 mm of rain last week, the Manor area 36 mm, the Maryfield and Moosomin areas 40 mm, the Tantallon area 17 mm, the Broadview area 18 mm, the Weyburn area 21 mm, the Vibank area 51 mm, the Moose Jaw area 10 mm and the Radville area 17 mm. The Moosomin area has received the greatest amount of precipitation since April 1 (288 mm).

The majority of crops are in good condition and are either at or behind their normal developmental stages for this time of year. Warm weather would be appreciated to help crops progress and for wet fields to dry up in many areas. There have been reports of fungicide shortages in parts of the region.

Farmers are controlling pests, haying, cleaning bins and hauling grain.

SW SK Crop Development - July 1, 2013			
	% Ahead	% Normal	% Behind
Fall Cereals	0	71	29
Spring Cereals	0	67	33
Oilseeds	0	66	34
Pulse Crops	1	71	28

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

Ten per cent of the hay crop has been cut and two per cent has been baled or put into silage. Hay quality at this time is rated as eight per cent excellent, 76 per cent good and 16 per cent fair. Some producers are spraying insecticides for alfalfa weevil.

Warm temperatures in much of the region have stressed crops and hay land but overall damage is minimal at this time. Many areas will need rain in the coming weeks to help crops recover and grow. Topsoil moisture for cropland is rated as one per cent surplus, 86 per cent adequate and 13 per cent short. Hay land and pasture topsoil moisture is rated as 87 per cent adequate and 13 per cent short. Twenty-five per cent of cropland and 50 per cent of hay and pasture land is short topsoil moisture at this time in CD 4B.

Varying amounts of rainfall was received this past week. The Lisieux area received 8 mm of rain, the Lafleche area 15 mm, the Eyebrow area 16 mm, the Cadillac area 3 mm, the Admiral area 40 mm, the Vanguard area 22 mm, the Blumenhof area 9 mm, the Webb area 31 mm, the Rush Lake area 20 mm and the Maple Creek area 25 mm. The Bengough area has received the greatest amount of precipitation since April 1 for both the region and the province (313 mm).

Many canola producers in the region are spraying for cabbage seedpod weevil as economic thresholds have been met. The majority of crops are in good condition and at their normal developmental stages for this time of year. There are concerns that hot temperatures will damage flowering crops and rain will be needed soon to help alleviate the stress. There have also been reports of fungicide shortages in some areas.

Farmers are busy haying, controlling pests and hauling grain.

EC SK Crop Development - July 1, 2013			
	% Ahead	% Normal	% Behind
Fall Cereals	7	49	44
Spring Cereals	2	55	43
Oilseeds	1	58	41
Pulse Crops	1	60	39

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

Livestock producers in the east-central region have four per cent of the hay crop cut. Hay quality at this time is rated as eight per cent excellent, 77 per cent good and 15 per cent fair.

Some low lying fields have been damaged by heavy rain and hail that fell throughout much of the region last week. Cropland topsoil moisture is rated as nine per cent surplus, 80 per cent adequate and 11 per cent short. Hay land and pasture topsoil moisture is rated as three per cent surplus, 83 per cent adequate, 11 per cent short and three per cent very short.

Rainfall varied in the region this past week with the Earl Grey area receiving the greatest amount (48 mm). The Langenburg area received 46 mm of rain, the Saltcoats area 32 mm, the Goodeve area 34 mm, the Kelliher area 20 mm, the Kamsack area 18 mm, the Foam Lake area 33 mm, the Raymore area 19 mm, the Quill Lake area 28 mm, the Bethune area 8 mm, the Kenaston area 4 mm and the Bradwell area 12 mm. Since April 1, the Humboldt area has received the greatest amount of precipitation in the region (225 mm).

Warm temperatures are helping crops to grow, although progress is slow in some areas. The majority of crops are in good condition and are at their normal developmental stages for this time of year. Some canola fields are at multiple stages and spraying operations have been difficult for producers. There have been reports of fungicide shortages in much of the region.

Farmers are busy controlling pests, haying and cleaning bins.

WC SK Crop Development - July 1, 2013			
	% Ahead	% Normal	% Behind
Fall Cereals	1	87	12
Spring Cereals	0	59	41
Oilseeds	2	58	40
Pulse Crops	2	68	30

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7 – Rosetown, Kindersley, Eston, Major, Kerrobert, Macklin, Wilkie and Biggar areas)

Five per cent of the hay crop has been cut and less than one per cent has been baled or put into silage in the west-central region. Hay quality at this time is rated as 44 per cent excellent and 56 per cent good.

Some fields in the region remain wet and spraying operations have been difficult. Many crops are yellowing due to localized flooding damage and warm weather is needed to help alleviate the stress. Cropland topsoil moisture is rated as 12 per cent surplus, 86 per cent adequate and two per cent short. Hay land and pasture topsoil moisture is rated as eight per cent surplus, 89 per cent adequate and three per cent short.

The Outlook area received 4 mm of rain this past week, the Perdue area 22 mm, the Rosetown area 17 mm, the Harris area 9 mm, the Kindersley and Battleford areas 8 mm, the Biggar area 24 mm, the Major area 20 mm and the Cando area 1 mm. Since April 1, the Major area has received the greatest amount of precipitation (227 mm).

The majority of crop damage this week was due to localized flooding, leaf disease and root rots. Many producers will be applying fungicides in the coming weeks, although there are reports of shortages in much of the region. The majority of crops are in good condition and are at their normal developmental stages for this time of year.

Farmers are busy controlling pests, haying and hauling grain.

NE SK Crop Development - July 1, 2013			
	% Ahead	% Normal	% Behind
Fall Cereals	0	87	13
Spring Cereals	1	66	33
Oilseeds	1	65	34
Pulse Crops	0	75	25

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Haying is just beginning in the region and livestock producers have three per cent of the hay crop cut. Hay quality at this time is rated as 100 per cent good.

Some crops in the region are yellowing due to excess moisture; however, topsoil moisture conditions are improving. Topsoil moisture conditions on cropland are rated as 29 per cent surplus and 71 per cent adequate. Hay land and pasture topsoil moisture is rated as 12 per cent surplus and 88 per cent adequate.

The region received varying amounts of rainfall this past week. The Arborfield area received 12 mm, the Nipawin area 10 mm, the Alvena area 2 mm, the Melfort and Garrick areas 18 mm, the Birch Hills area 34 mm and the Bruno area 6 mm. The Bruno area has received the greatest amount of precipitation since April 1 (201 mm).

Warm weather is needed in the coming days to help dry fields and progress crop growth. Overall the majority of crops are in good condition and are at normal developmental stages for this time of year despite flooding damage. There have been reports of fungicide shortages in some areas.

Farmers are busy controlling pests, hauling grain and haying.

NW SK Crop Development - July 1, 2013			
	% Ahead	% Normal	% Behind
Fall Cereals	17	81	2
Spring Cereals	0	68	32
Oilseeds	0	67	33
Pulse Crops	0	77	23

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

Haying is just beginning in the region and producers have less than one per cent of the hay crop cut. At this time, hay quality is rated as 30 per cent excellent and 70 per cent good.

Heavy rain and hail have damaged crops in the region and many low lying areas of fields are flooded. There have been reports of significant flooding of fields, culverts and basements in some areas. Topsoil moisture conditions on cropland are rated as 12 per cent surplus, 85 per cent adequate and three per cent short. Hay land and pasture topsoil moisture is rated as four per cent surplus, 94 per cent adequate and two per cent short.

Most of the region received rainfall last week that has delayed spraying operations for some producers. The Radisson area received 7 mm of rain, the Duck Lake area 50 mm, the Neilburg area 120 mm, the Lloydminster area 5 mm, the Turtleford area 8 mm, the Rapid View area 6 mm and the Meadow Lake area 12 mm. Since April 1, the Neilburg area has received the greatest amount of precipitation (247 mm).

Producers will soon be spraying fungicides, although there are reports of shortages in some areas. Most crops are in good condition and are at their normal developmental stages for this time of year, despite the excess moisture. Warm weather is needed in the coming weeks to help advance crops.

Farmers are busy haying, controlling pests and cleaning bins.

SK (provincial) Crop conditions - July 1, 2013							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	5	12	15	20	10	13	11
% good	52	61	68	67	71	67	67
% fair	31	26	15	13	16	18	21
% poor	11	1	2	0	3	2	1
% very poor	1	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	13	13	23	17	14	6	0
% good	60	72	64	65	70	80	80
% fair	21	15	12	16	15	14	20
% poor	5	0	1	2	1	0	0
% very poor	1	0	0	0	0	0	0
Southeast							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	6	5	11	22	11	18	12
% good	53	75	71	68	65	63	66
% fair	28	14	15	9	20	16	21
% poor	11	5	2	1	4	2	1
% very poor	2	1	1	0	0	1	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	12	1	23	15	13	46	0
% good	65	86	59	45	68	49	80
% fair	18	12	15	30	18	5	20
% poor	4	1	2	9	1	0	0
% very poor	1	0	1	1	0	0	0

Southwest							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	3	15	6	17	5	5	7
% good	45	58	74	68	67	81	71
% fair	42	27	20	15	28	14	22
% poor	10	0	0	0	0	0	0
% very poor	0	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	11	12	19	12	4	0	0
% good	69	70	68	74	76	85	100
% fair	20	18	13	14	17	15	0
% poor	0	0	0	0	3	0	0
% very poor	0	0	0	0	0	0	0
East-central							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	4	4	16	29	7	15	12
% good	52	59	74	56	82	75	66
% fair	30	36	10	15	10	9	22
% poor	12	1	0	0	1	1	0
% very poor	2	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	10	27	26	22	13	50	N/A
% good	63	66	65	61	75	30	N/A
% fair	22	7	8	17	12	20	N/A
% poor	5	0	1	0	0	0	N/A
% very poor	0	0	0	0	0	0	N/A

West-central							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	10	16	23	33	16	23	12
% good	87	79	65	62	74	67	81
% fair	3	5	9	5	9	8	7
% poor	0	0	3	0	1	2	0
% very poor	0	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	22	17	30	28	21	0	0
% good	61	74	61	60	70	100	100
% fair	11	9	7	11	9	0	0
% poor	4	0	2	1	0	0	0
% very poor	2	0	0	0	0	0	0
Northeast							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	0	0	8	50	12	4	0
% good	38	0	58	5	60	52	56
% fair	42	100	25	33	20	36	36
% poor	18	0	9	12	8	8	8
% very poor	2	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	6	N/A	14	0	0	N/A	N/A
% good	55	N/A	58	100	66	N/A	N/A
% fair	27	N/A	21	0	32	N/A	N/A
% poor	11	N/A	7	0	1	N/A	N/A
% very poor	1	N/A	0	0	1	N/A	N/A

Northwest							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	10	6	16	N/A	10	13	20
% good	80	47	67	N/A	72	64	73
% fair	10	45	16	N/A	17	23	7
% poor	0	2	1	N/A	1	0	0
% very poor	0	0	0	N/A	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	19	N/A	19	N/A	N/A	N/A	N/A
% good	47	N/A	63	N/A	N/A	N/A	N/A
% fair	30	N/A	17	N/A	N/A	N/A	N/A
% poor	4	N/A	1	N/A	N/A	N/A	N/A
% very poor	0	N/A	0	N/A	N/A	N/A	N/A

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending July 1, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: July 3, 2013

© 2013 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period June 25 to July 1, 2013

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	N/A	196
	3	Enniskillen	20	216
	33	Moose Creek	2	140
	34	Browning	1	124
	61	Antler	N/A	288
	63	Moose Mountain	36	194
	64	Brock	0	103
	65	Tecumseh	0	186
1B	91	Maryfield	40	171
	92	Walpole	N/A	80
	122	Martin	40	288
	123	Silverwood	5	197
	124	Kingsley	2	135
	125 A	Chester	N/A	159.7
	125 B	Chester	24	166
	151 A	Rocanville	12	173
	151 B	Rocanville	17	174
	153	Willowdale	N/A	N/A
	154	Elcapo	18	198
	155 A	Wolseley	26	189
	155 B	Wolseley	N/A	164
2A	67	Weyburn	N/A	169
	68	Brokenshell	23	240
	97	Wellington	19	133
	99	Caledonia	N/A	N/A
2B	127 A	Francis	23.5	176.5
	127 B	Francis	50.8	143
	129	Bratt's Lake	15	136.5
	131 A	Baildon	6	222
	131 B	Baildon	10	172
	156 A	Indian Head	28	154.5
	156 B	Indian Head	N/A	221
	160 A	Pense	13	176
	160 B	Pense	N/A	153.5
	161	Moose Jaw	13	178
	162	Caron	N/A	107
	191	Marquis	N/A	68
3ASE	38 A	Laurier	23	258
	38 B	Laurier	11	199
	39 A	The Gap	11	198
	39 B	The Gap	13	236
3ASW	10	Happy Valley	N/A	157
	11	Hart Butte	N/A	205.3
	12	Poplar Valley	N/A	183
	40 A	Bengough	N/A	221
	40 B	Bengough	12	313
	42	Willow Bunch	8	190
	43 A	Old Post	13	203
	43 B	Old Post	N/A	N/A
	70	Key West	N/A	84.3
	71	Excel	N/A	168
	72 A	Lake of the Rivers	N/A	N/A
	72 B	Lake of the Rivers	N/A	N/A
	73 A	Stonehenge	13.5	233.38
	73 B	Stonehenge	13	232
	74 A	Wood River	15	209.5
	74 B	Wood River	N/A	3
	74 C	Wood River	N/A	N/A
3AN	101	Terrell	1	155
	102	Lake Johnston	13	104.3
	103 A	Sutton	N/A	157
	103 B	Sutton	N/A	N/A
	132 A	Hillsborough	12	145.5
	132 B	Hillsborough	13	127.4
	134	Shamrock	N/A	178
	164 A	Chaplin	N/A	124
	164 B	Chaplin	N/A	N/A
	193 A	Eyebrow	26	97
	193 B	Eyebrow	5	129.2
	194	Enfield	N/A	N/A
	224	Maple Bush	14	129.5
3BS	17 A	Val Marie	3	230
	17 B	Val Marie	N/A	N/A
	45	Mankota	13	224.5
	75 A	Pinto Creek	N/A	156
	75 B	Pinto Creek	13	181
	76	Auvergne	10	157
	77	Wise Creek	40	213
	78 A	Grassy Creek	13	187
	78 B	Grassy Creek	13	201.5
	105	Glenbain	8	165
	106	Whiska Creek	22	143
	107 A	Lac Pelletier	9	154
	107 B	Lac Pelletier	N/A	43.5
	108	Bone Creek	13	178
3BN	138 A	Webb	31	177
	138 B	Webb	24.1	139.3
	166 A	Excelsior	20	168
	166 B	Excelsior	N/A	N/A
	167	Sask. Landing	11.8	124.2
	168 A	Riverside	12	174
	168 B	Riverside	31	176.6
	226 A	Victory	N/A	49
	226 B	Victory	N/A	30
	228	Lacadena	7	129.5
	255	Coteau	14	96.85
	257	Monet	26	111.6
4A	19	Frontier	N/A	N/A
	49	White Valley	N/A	156
	51 A	Reno	13	137.5
	51 B	Reno	N/A	N/A
	79	Arlington	15	218
	109	Carmichael	1	121.5
	110	Piapot	19	138
	111	Maple Creek	25	133
4B	139	Gull Lake	N/A	126
	141	Big Stick	N/A	112
	142	Enterprise	13	148
	169	Pittville	N/A	128
	231	Happyland	13	129
5A	183 A	Fertile Belt	N/A	239.5
	183 B	Fertile Belt	40	197.5
	186	Abernethy	N/A	86
	211	Churchbridge	46	140
	213	Saltcoats	32	154
	214	Cana	N/A	25
	216	Tullymet	N/A	122.3
	217 A	Lipton	N/A	N/A
	241	Calder	N/A	114
	243	Wallace	N/A	101
	245 A	Garry	N/A	72
	245 B	Garry	30	108
	245 C	Garry	38	99
	246	Ituna Bon Accord	4	106
	247	Kellross	20	108
	248	Touchwood	N/A	84
5B	271	Cote	18	131
	273	Sliding Hills	32	83.5
	277	Emerald	33	106
	305	Invermay	15	150.5
	307	Elfros	27	115
	308 A	Big Quill	17	106
	308 B	Big Quill	19	124
	331	Livingston	14	170
	333	Clayton	N/A	39
	334	Preeceville	N/A	89.2
	336	Sasman	13	67
	337 A	Lakeview	28	133
	337 B	Lakeview	N/A	21.5
	338	Lakeside	12	138
	366	Kelvington	22	140
	367	Ponass Lake	15.2	122.3
6A	190 A	Dufferin	8	110
	190 B	Dufferin	2	105.5
	190 C	Dufferin	N/A	132
	190 D	Dufferin	N/A	42
	190 E	Dufferin	13	0
	219	Longlaketon	48	141
	220	Mckillop	18	159
	221	Sarnia	2.2	114.5
	222	Craik	28	133
	251	Big Arm	17	165
	252	Arm River	N/A	145
	279	Mount Hope	N/A	131
	282	McCraney	4	151
	309	Prairie Rose	N/A	155
	310	Usborne	N/A	N/A
	313	Lost River	N/A	N/A
	339	Leroy	11.8	176.3
	340	Wolverine	3	225
	341	Viscount	17	230
	343 A	Blucher	12	188.8
	343 B	Blucher	13	70
6B	283	Rosedale	N/A	130
	284	Rudy	4	137
	285	Fertile Valley	1	114
	286	Milden	N/A	84
	314	Dundurn	7	165
	344	Corman Park	6	113
	346	Perdue	22	147
	376 A	Eagle Creek	18	136
	376 B	Eagle Creek	9	161
	403 A	Rosthern	13	144
	403 B	Rosthern	13	193
7A	259	Snipe Lake	N/A	109.5
	260 A	Newcombe	N/A	105
	260 B	Newcombe	9	104
	261	Chesterfield	N/A	56
	287	St. Andrews	N/A	126
	288	Pleasant Valley	17	140
	290 A	Kindersley	16	126.5
	290 B	Kindersley	N/A	50.5
	290 C	Kindersley	8	139.5
	292	Milton	4	170
	317 A	Marriott	N/A	53
	317 B	Marriott	9	147
	317 C	Marriott	N/A	N/A
	318	Mountain View	5	171
	320 A	Oakdale	N/A	110.4
	320 B	Oakdale	7	120
	321	Prairiedale	8	98
7B	347 A	Biggar	24	164
	347 B	Biggar	N/A	134.5
	350 A	Mariposa	13	104
	350 B	Mariposa	15	161
	351	Progress	N/A	124
	352	Heart's Hill	20	227
	377	Glenside	6	169
	378 A	Rosemount	13	112
	378 B	Rosemount	1	178
	379	Reford	9	116
	381	Grass Lake	N/A	134.1
	382	Eye Hill	5	153
	409 A	Buffalo	8	209
	409 B	Buffalo	N/A	N/A
	410	Round Valley	7.5	120
	411	Senlac	N/A	N/A
8A	395	Porcupine	10	107
	397	Barrier Valley	17.2	131.9
	428	Star City	N/A	120
	456	Arborfield	12	114
	457	Connaught	6	154
	458	Willow Creek	13	107
	486	Moose Range	N/A	86
	487 A	Nipawin	10	115
	487 B	Nipawin	N/A	N/A
8B	369	St. Peter	18	140
	370	Humboldt	2	162
	371	Bayne	6	201
	372	Grant	N/A	232.1
	400 A	Three Lakes	N/A	N/A
	400 B	Three Lakes	13	180
	402	Fish Creek	2	197
	429	Flett's Springs	18	183
	431	St. Louis	N/A	N/A
	459	Kinistino	15	196
	460	Birch Hills	33.7	142.1
9AE	461	Prince Albert	N/A	22.4
	488	Torch River	18	156
	491	Buckland	N/A	183
9AW	406	Mayfield	7	178
	435	Redberry	4	166
	436	Douglas	13	156
	463	Duck Lake	50	237
	466	Meeting Lake	N/A	N/A
	467 A	Round Hill	4	188
	467 B	Round Hill	13	156
	494	Canwood	N/A	N/A
	496 A	Spiritwood	N/A	N/A
	496 B	Spiritwood	N/A	115.9
	497	Medstead	4	205
9B	436	Battle River	10	225
	440	Hillsdale	N/A	160
	442	Manitou Lake	120	247.1
	498 A	Parkdale	9	128
	498 B	Parkdale	NIL	131
	499 A	Mervin	13	204.4
	499 B	Mervin	N/A	23.5
	501 A	Frenchman Butte	2	152
	501 B	Frenchman Butte	4	144
	501 C	Frenchman Butte	N/A	121
	502 A	Britannia	N/A	N/A
	502 B	Britannia	5	146
	561	Loon Lake	2	125
	588 A	Meadow Lake	20	151
	588 B	Meadow Lake	6	157
	588 C	Meadow Lake	3	166
	588 D	Meadow Lake	N/A	119.5
	588 E	Meadow Lake	N/A	N/A
	622	Beaver River	N/A	108.5

Municipality No: A, B, C, D and E - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2013
To: July 1, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: July 3, 2013

© 2013 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

July 2, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: July 3, 2013

© 2013 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

July 2, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: July 3, 2013

© 2013 Government of Saskatchewan